UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/635,402	08/06/2003	Edward S. Ahn	220318	1210
	7590 06/24/200 C& MAYER, LTD	9	EXAMINER	
TWO PRUDENTIAL PLAZA, SUITE 4900 180 NORTH STETSON AVENUE			SOROUSH, ALI	
CHICAGO, IL			ART UNIT	PAPER NUMBER
			1616	
			MAIL DATE	DELIVERY MODE
			06/24/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)
	10/635,402	AHN, EDWARD S.
Office Action Summary	Examiner	Art Unit
	ALI SOROUSH	1616
The MAILING DATE of this communication ap Period for Reply	opears on the cover sheet with the c	correspondence address
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING I - Extensions of time may be available under the provisions of 37 CFR 1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statu Any reply received by the Office later than three months after the maili earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATION .136(a). In no event, however, may a reply be tind d will apply and will expire SIX (6) MONTHS from te, cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).
Status		
Responsive to communication(s) filed on 30 / 2a) This action is FINAL . 2b) This action is FINAL . 3) Since this application is in condition for allowed closed in accordance with the practice under	is action is non-final. ance except for formal matters, pro	
Disposition of Claims		
4) Claim(s) 1-17,69,70,78 and 79 is/are pending 4a) Of the above claim(s) is/are withdra 5) Claim(s) is/are allowed. 6) Claim(s) 1-17,69,70,78 and 79 is/are rejected 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/	awn from consideration. d. or election requirement.	
9) The specification is objected to by the Examin 10) The drawing(s) filed on is/are: a) ac Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the E	ccepted or b) objected to by the lead of a common or objected to by the lead of a common or objected to by the lead of the drawing of the lead of the	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for foreig a) All b) Some * c) None of: 1. Certified copies of the priority documer 2. Certified copies of the priority documer 3. Copies of the certified copies of the priority application from the International Burea * See the attached detailed Office action for a list	nts have been received. nts have been received in Applicati ority documents have been receive au (PCT Rule 17.2(a)).	on No ed in this National Stage
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date <u>03302009</u> .	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal F 6) Other:	ate

Art Unit: 1616

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 03/30/2009 has been entered.

Status of the Claims

Claims 1, 4, 69, and 70are currently amended, claims 18-68 and 71-77 are cancelled, and claims 78-79are newly added. Therefore, claims 1-17, 69, 70, 78 and 79 are currently pending examination for patentability.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Applicant Claims

Art Unit: 1616

2. Determining the scope and contents of the prior art.

- 3. Ascertaining the differences between the prior art and the claims at issue; and resolving the level of ordinary skill in the pertinent art.
- 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 1. The rejection of claims 1-7, 12-14, 17, and 69-70 under 35 U.S.C. 103(a) as being unpatentable over Kawamura et al. (US Patent 4717556, Published 01/05/1988) in view of Tanaka et al. (US Patent 6441073 B1, Published 08/27/2002) is maintained.

Applicant Claims

A composition comprising particulate tricalcium phosphate having an average particle size of about 5 µm or less, an average crystal size of about 250 nm or less, and surface area of about 20 m²/g or greater, wherein the composition can be consolidated to form a TCP article having a compressive strength of about 50 MPa or greater. The composition may further comprise a secondary additive such as a structural additive, organic species, or biological additive.

Determination of the Scope and Content of the Prior Art (MPEP §2141.01)

Kawmura et al. teach, "A microfine β-tricalcium phosphate powder is produced …" (See abstract). "The dry powder of β-triclacium phosphate obtained by the method of this invention has a specific surface area of 70 to 100 m²/g. When this powder is calcined at 750°C, for example, the resulting powder still has a very large specific surface area on the order of 30 m²/g." (See column 4, Lines 1-16). "The aforementioned dry powder … is converted into clear crystals at 750°C. The crystals … closely resemble spheres about 0.1 micron in diameter." (See column 4, Lines 18-23) "In … the case of foliate particles, the particles which have undergone the calcination have a specific

surface area of 30 m²/g, for example, and the sintered mass produced from this calcinated particles exhibits bending strength in the range of 1,350 to 1,460 kgf/cm². The product of this invention, thus, is superior to the conventional product." (See column 3, Lines 22-28). Kawmura et al. further teach, "The sintered articles of the β-tricalcium phosphate which is obtained by the method of this invention exhibit highly desirable strength and, therefore, are suitable for use as bioceramics including artificial bones, artificial joints, and artificial roots." (See column 4, Lines 33-37).

Ascertainment of the Difference Between Scope the Prior Art and the Claims (MPEP §2141.012)

Kawmura et al. lacks a teaching of a tricalcium phosphate (TCP) having a particle size of 5 µm or less. Further, Kawmura et al. also lacks a composition of TCP further comprising a secondary additive. These deficiencies are cured by the teachings of Tanaka et al.

Tanaka et al. teaches a biomaterial for induction of osteoanagenesis comprising a copolymer of lactic acid, glycolic acid, and capralactone and tricalcium phosphate. The ratio of the TCP to polymer is 1:0.1 to 1:2. The TCP particle size to be used should be in the range of 0.1 to 200 µm and can be sintered at 650 to 1500°C to provide for a denser particle. (See column 16, claims 1, 2; column 18, claims 12-14; column 8, Lines 1 and 40-43). "When average particle size is less than 0.1 µm, the dissolving rate is too quick to show sufficient tissue reconstructing ability and ... on the contrary when the average particle size is more than 200 µm, the dissolving rate becomes to slow whereby the tissue reconstruction is inhibited ..." (See column 7, Lines 57-63). "It is preferred that

the rigidity of the osteogenesis inducing material of the present invention is adjusted to 200-20000 MPa ..." (See column 6, Lines 25-27). "It is also possible that pharmaceuticals such as physiological substances including anti-tumor agent, anti-cancer agent, anti-inflammatory agent, vitamins (for example, vitamin D of an activated type) and polypeptides (for example a thyroid stimulating hormone) are added to the complex to give sustained release function whereby the tissue regeneration and the bone tissue repair are promoted ..." (See column 8, Lines 51-57).

Finding of Prima Facie Obviousness Rational and Motivation (MPEP §2142-2143)

It would have been obvious to one of ordinary skill in the art to combine the teachings of Kawamura et al. with Tanaka et al. One would have been motivated to do so because Tanaka et al. teaches that TCP particle size is important in ensuring that TCP does not dissolve too fast or dissolve so slow as to inhibit tissue reconstruction. Therefore, one of ordinary skill in the art would have been motivated to form the TCP articles of Kawamura et al. into particle sizes of 0.1 to 200 µm, which reads on the instantly claimed less than 1 µm. With regard to the addition of a secondary additive, Kawamura et al. makes obvious the addition of both a polymer additive as well as a pharmaceutical additive. The addition of polymer additive would enhance the strength of the TCP article and the addition of the pharmaceutical would promote tissue regeneration where the article is implanted. With regard to the limitations of the compressive strength and densification, it is noted by the examiner that the limitations read "can be" is optional claim language and therefore is not a limitation that prior art needs to teach or suggest. Kawamura et al. and Tanaka et al. are silent with regard to

Art Unit: 1616

the compressive strength and the ability of TCP being made dense, however since the TCP of the prior art and the TCP of instant claims are not structurally indistinguishable it is the Examiner's position that the prior art TCP would inherently have the same properties. For the foregoing reasons, the instant composition would have been obvious to one of ordinary skill in the art at the time of the instant invention.

Response to Applicant's Arguments

Applicant argues that Kawamura et al. taken alone or in combination with Tanaka et al. fails to teach or suggest particulate TCP that can be made dense to form an article having a minimum dimension of about 0.5 cm or greater that is able to transmit about 50% or more light having a wavelength in the range of about 150 nm to about 1,000nm. Applicants, arguments have been fully considered but not found persuasive. It is noted that the instant claim recitation recites "can be", which is optional claim language and therefore is not a limitation that prior art needs to teach or suggest Assuming that the claim limitation is to be taken as an active recitation, it is the Examiners position that such properties would be inherent to the teachings of Kawamura et al. and Tanaka et al. as they are structurally indistinguishable from instant TCP. For the foregoing reasons, the rejection of claims 1-7, 12-14, 17, and 69-70 under 35 U.S.C. 103(a) is maintained.

2. The rejection of claims 8-11 under 35 U.S.C. 103(a) as being unpatentable over Kawamura et al. (US Patent 4717556, Published 01/05/1988) in view of Tanaka et al. (US Patent 6441073 B1, Published 08/27/2002) further in view of Kijima et al. (US Patent 5185177, Published 02/09/1993) is maintained.

Applicant Claims

A composition comprising particulate tricalcium phosphate having an average particle size of about 5 µm or less, an average crystal size of about 250 nm or less, and surface area of about 20 m²/g or greater, wherein the composition can be consolidated to form a TCP article having a compressive strength of about 50 MPa or greater. The composition may further comprise a secondary additive such as a structural additive, organic species, or biological additive.

Determination of the Scope and Content of the Prior Art (MPEP §2141.01)

The combined teachings of Kawamura et al. and Tanaka et al. are disclosed above.

Ascertainment of the Difference Between Scope the Prior Art and the Claims (MPEP §2141.012)

The combined teachings of Kawamura et al. and Tanaka et al. lack a teaching where the secondary additive is a structural additive. These deficiencies are cured by the teachings of Kijima et al.

Kijima et al. teaches a ceramic implant comprising α -tricalcium phosphate and zirconia. "The present inventors have conducted extensive researches in view of the above problems. As a result, they have found that a ceramic implant having a coating layer of a porous sintered body of a mixture of α -TCP and zirconia, or hydroxy apatite and zirconia, on the surface of a sintered body of zirconia, has high mechanical strength and is free from breakage in a living body, and the biologically active surface porous layer bonded firmly to the core material, is capable of bonding to vital tissue in the living

body, whereby it can be a material durable for use for a long period of time." (See column 1, Lines 49-59).

Finding of Prima Facie Obviousness Rational and Motivation (MPEP §2142-2143)

It would have been obvious to one of ordinary skill in the art to combine the teachings of Kawamura et al. and Tanaka et al. with Kijima et al. One would have been motivated to combine the implants of Tanaka et al. and Kijima et al. so as to provide an implant that has both osteoagenic properties as well as increased mechanical strength. Therefore, a TCP implant composition having high mechanical strength and osteoagenic properties would have been obvious to one of ordinary skill in the art. For the foregoing reasons, the instant composition would have been obvious to one of ordinary skill in the art at the time of the instant invention.

Response to Applicant's Arguments

Applicant argues that Kawamura et al. taken alone or in combination with Tanaka et al. and Kijima et al. fails to teach or suggest particulate TCP that can be made dense to form an article having a minimum dimension of about 0.5 cm or greater that is able to transmit about 50% or more light having a wavelength in the range of about 150 nm to about 1,000nm. Applicants, arguments have been fully considered but not found persuasive. It is noted that the instant claim recitation recites "can be", which is optional claim language and therefore is not a limitation that prior art needs to teach or suggest. Assuming that the claim limitation is to be taken as an active recitation, it is the Examiners position that such properties would be inherent to the teachings of Kawamura et al. and Tanaka et al. as they are structurally indistinguishable from instant

Art Unit: 1616

TCP. For the foregoing reasons the rejection of claims 8-11 under 35 U.S.C. 103(a) is

maintained.

3. The rejection of claims 15 and 16 under 35 U.S.C. 103(a) as being

unpatentable over Kawamura et al. (US Patent 4717556, Published 01/05/1988) in view

of Tanaka et al. (US Patent 6441073 B1, Published 08/27/2002) further in view of Dalal

et al. (US Patent 6949251, Published 09/27/2005, Filed 09/21/2001) is maintained.

Applicant Claims

A composition comprising particulate tricalcium phosphate having an average

particle size of about 5 µm or less, an average crystal size of about 250 nm or less, and

surface area of about 20 m²/g or greater, wherein the composition can be consolidated

to form a TCP article having a compressive strength of about 50 MPa or greater. The

composition may further comprise a secondary additive such as a structural additive,

organic species, or biological additive.

Determination of the Scope and Content of the Prior Art (MPEP §2141.01)

The combined teachings of Kawamura et al. and Tanaka et al. are disclosed

above.

Ascertainment of the Difference Between Scope the Prior Art and the Claims

(MPEP §2141.012)

Art Unit: 1616

The combined teachings of Kawamura et al. and Tanaka et al. lack a teaching where the secondary additive is a biological additive. These deficiencies are cured by the teachings of Dalal et al.

Dalal et al. teaches, "A composition comprising porous β-tricalcium phosphate (β-TCP) granules that have a particle size of 0.1 –2 mm and that comprise a multiplicity of pores ..." (See column 59, claim 1). "The composition of any one of claims 1 to 5, further comprising a bioactive agent." (See column 59, claim 13). "The composition of claim 13, wherein the bioactive agent is a bone morphogenic protein." (See column 59, claim 14). "The composition of claim 13, wherein the bioactive agent is an osteogenic protein ..." (See column 59, claim 16). "The invention also provides an implantable prosthetic device ..." (See abstract).

Finding of Prima Facie Obviousness Rational and Motivation (MPEP §2142-2143)

It would have been obvious to one of ordinary skill in the art at the time of the invention to combine the teachings of Kawamura et al. and Tanaka et al. with Dalal et al. One would have been motivated to do so to provide for a more efficient implant that induces osteoanagesis. Both the Tanka et al. implant and the Dalal et al. teach inducing osteoagenesis and the combination of the two would have been obvious because it would have provided an additive osteoagenesis effect. For the foregoing reasons the instant compositions would have been obvious to one of ordinary skill in the art at the time of the instant invention.

Response to Applicant's Arguments

Applicant argues that Kawamura et al. taken alone or in combination with Tanaka et al. and Dalal et al. fails to teach or suggest particulate TCP that can be made dense to form an article having a minimum dimension of about 0.5 cm or greater that is able to transmit about 50% or more light having a wavelength in the range of about 150 nm to about 1,000nm. Applicants, arguments have been fully considered but not found persuasive. It is noted that the instant claim recitation recites "can be", which is optional claim language therefore is not a limitation that prior art needs to teach or suggest. Assuming that the claim limitation is to be taken as an active recitation, it is the Examiners position that such properties would be inherent to the teachings of Kawamura et al. and Tanaka et al. as they are structurally indistinguishable from instant TCP. For the foregoing reasons the rejection of claims 15 and 16 under 35 U.S.C.

New Grounds of Rejection

4. Claims 78-79 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kawamura et al. (US Patent 4717556, Published 01/05/1988) in view of Tanaka et al. (US Patent 6441073 B1, Published 08/27/2002).

Applicant Claims

A composition comprising particulate tricalcium phosphate having an average particle size of about 5 µm or less, an average crystal size of about 250 nm or less, and surface area of about 20 m²/g or greater, wherein the composition can be consolidated to form a TCP article having a compressive strength of about 50 MPa or greater. The

Art Unit: 1616

composition may further comprise a secondary additive such as a structural additive, organic species, or biological additive.

Determination of the Scope and Content of the Prior Art (MPEP §2141.01)

Kawmura et al. teach, "A microfine β-tricalcium phosphate powder is produced ..." (See abstract). "The dry powder of β-triclacium phosphate obtained by the method of this invention has a specific surface area of 70 to 100 m²/g. When this powder is calcined at 750°C, for example, the resulting powder still has a very large specific surface area on the order of 30 m²/g." (See column 4, Lines 1-16). "The aforementioned dry powder ... is converted into clear crystals at 750°C. The crystals ... closely resemble spheres about 0.1 micron in diameter." (See column 4, Lines 18-23) "In ... the case of foliate particles, the particles which have undergone the calcination have a specific surface area of 30 m²/g, for example, and the sintered mass produced from this calcinated particles exhibits bending strength in the range of 1,350 to 1,460 kgf/cm². The product of this invention, thus, is superior to the conventional product." (See column 3, Lines 22-28). Kawmura et al. further teach, "The sintered articles of the β-tricalcium phosphate which is obtained by the method of this invention exhibit highly desirable strength and, therefore, are suitable for use as bioceramics including artificial bones, artificial joints, and artificial roots." (See column 4, Lines 33-37).

Ascertainment of the Difference Between Scope the Prior Art and the Claims (MPEP §2141.012)

Kawmura et al. lacks a teaching of a tricalcium phosphate (TCP) having a particle size of 5 µm or less. Further, Kawmura et al. also lacks a composition of TCP

further comprising a secondary additive. These deficiencies are cured by the teachings of Tanaka et al.

Tanaka et al. teaches a biomaterial for induction of osteoanagenesis comprising a copolymer of lactic acid, glycolic acid, and capralactone and tricalcium phosphate. The ratio of the TCP to polymer is 1:0.1 to 1:2. The TCP particle size to be used should be in the range of 0.1 to 200 µm and can be sintered at 650 to 1500°C to provide for a denser particle. (See column 16, claims 1, 2; column 18, claims 12-14; column 8, Lines 1 and 40-43). "When average particle size is less than 0.1 µm, the dissolving rate is too quick to show sufficient tissue reconstructing ability and ... on the contrary when the average particle size is more than 200 µm, the dissolving rate becomes to slow whereby the tissue reconstruction is inhibited ..." (See column 7, Lines 57-63). "It is preferred that the rigidity of the osteogenesis inducing material of the present invention is adjusted to 200-20000 MPa ..." (See column 6, Lines 25-27). "It is also possible that pharmaceuticals such as physiological substances including anti-tumor agent, anticancer agent, anti-inflammatory agent, vitamins (for example, vitamin D of an activated type) and polypeptides (for example a thyroid stimulating hormone) are added to the complex to give sustained release function whereby the tissue regeneration and the bone tissue repair are promoted ..." (See column 8, Lines 51-57).

Finding of Prima Facie Obviousness Rational and Motivation (MPEP §2142-2143)

It would have been obvious to one of ordinary skill in the art to combine the teachings of Kawamura et al. with Tanaka et al. One would have been motivated to do so because Tanaka et al. teaches that TCP particle size is important in ensuring that

Art Unit: 1616

TCP does not dissolve to fast or dissolve so slow as to inhibit tissue reconstruction. Therefore, one of ordinary skill in the art would have been motivated to form the TCP articles of Kawamura et al. into particle sizes of 0.1 to 200 µm, which reads on the instantly claimed less than 1 µm. With regard to the addition of secondary additive Kawamura et al. makes obvious the addition of both a polymer additive as well as a pharmaceutical additive. The addition of polymer additive would enhance the strength of the TCP article and the addition of the pharmaceutical would promote tissue regeneration where the article is implanted. With regard to the limitations of the light transmission and densification it is noted by the examiner that the limitations read "can be" which is optional claim language therefore is not a limitation that prior art needs to teach or suggest. Kawamura et al. and Tanaka et al. are silent with regard to the light transmission and the ability of TCP being made dense, however since the TCP of the prior art and the TCP of instant claims are not structurally indistinguishable it is the Examiner's position that the prior art TCP would inherently have the same properties. For the foregoing reasons the instant composition would have been obvious to one of ordinary skill in the art at the time of the instant invention.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ali Soroush whose telephone number is (571) 272-9925.

Art Unit: 1616

The examiner can normally be reached on Monday through Thursday 8:30am to

5:00pm E.S.T.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

Supervisor, Johann Richter can be reached on (571) 272-0646. The fax phone number

For the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published

applications may be obtained from either Private PAIR or Public PAIR. Status

information for unpublished applications is available through Private PAIR only. For

more information about the PAIR system, see http://pair-direct.uspto.gov. Should you

have questions on access to the Private PAIR system, contact the Electronic Business

Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO

Customer Service Representative or access to the automated information system, call

800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Ali Soroush
Patent Examiner
Art Unit: 1616

/Johann R. Richter/

Supervisory Patent Examiner, Art Unit 1616